

Projekt:

Dane do obliczeń :

Źródła punktowe

Nr	X[m]	Y[m]	z[m]	Pma	Symbol
=====					
1	1120.0	1292.6	15.0	75.0	w
2	1168.8	1284.6	15.0	75.0	w
3	1117.0	1272.6	15.0	75.0	w
4	1166.6	1263.0	15.0	75.0	w
5	1151.4	1233.2	15.0	81.0	sil
6	1069.4	1304.2	2.0	94.2	odb_os
7	1081.0	1290.8	2.0	101.2	wyl
8	1143.4	1231.2	1.0	103.8	zal
9	1249.0	1273.0	0.5	65.0	park
10	1244.0	1259.8	0.5	65.0	park
11	1239.4	1246.4	0.5	65.0	park
12	1233.4	1229.8	0.5	65.0	park
13	1045.4	1307.8	4.0	85.0	wwo
14	1033.6	1309.4	4.0	85.0	wwo
15	1109.0	1251.6	15.0	75.0	kom_kot
=====					

Źródła liniowe - współrzędne

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	z1[m]	z2[m]	Pma	Symbol
=====								
1	1265.6	1298.6	1231.0	1198.6	0.0	0.0	89.2	t1
2	1262.6	1290.0	1085.6	1321.2	0.0	0.0	87.3	t2
3	1085.6	1321.8	1066.4	1292.2	0.0	0.0	84.2	t3
4	1066.0	1291.8	1066.6	1241.0	0.0	0.0	84.7	t4
5	1066.6	1241.0	1093.4	1232.6	0.0	0.0	84.0	t5
6	1092.8	1233.2	1235.0	1208.4	0.0	0.0	86.8	t6
7	1148.8	1250.2	1142.6	1236.9	0.0	0.0	89.5	t7
=====								

Źródła typu hala produkcyjna :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
=====										
1	1093.6	1314.4	1213.2	1292.8	1204.8	1238.8	1083.0	1261.8	0.0	14.5
2	1161.2	1246.8	1160.6	1229.8	1201.0	1221.4	1205.0	1238.6	0.0	14.5
3	1084.6	1261.2	1081.4	1243.0	1123.4	1236.4	1127.0	1254.4	0.0	5.0
4	1126.8	1253.4	1123.6	1236.0	1137.8	1233.6	1139.6	1251.2	0.0	5.0
=====										

POZIOMY HAŁASU i IZOLACYJNOŚĆ PRZEGRÓD

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====											
1	sc.1	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	80.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odp.
-----------	--	---	----	-----	-----	-----	------	------	------	------	----------

=====

2	sc.1	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	80.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odp.
-----------	--	---	----	-----	-----	-----	------	------	------	------	----------

=====

3	sc.1	L wew	80.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	80.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	80.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	80.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	80.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odp.
-----------	--	---	----	-----	-----	-----	------	------	------	------	----------

=====

4	sc.1	L wew	80.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	15.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	80.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	15.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	80.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	15.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	80.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	15.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	80.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Ekrany akustyczne :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
----	-------	-------	-------	-------	-------	-------	-------	-------	-------	------

=====

1	1028.9	1317.2	1027.3	1304.7	1052.6	1299.6	1054.2	1312.4	0.0	3.8
---	--------	--------	--------	--------	--------	--------	--------	--------	-----	-----

2	1030.5	1288.7	1016.8	1238.8	1044.6	1236.2	1054.8	1283.2	0.0	2.0
---	--------	--------	--------	--------	--------	--------	--------	--------	-----	-----

=====

WSPÓŁCZYNNIKI ODBICIA DLA ŚCIAN

Nr	ściana 1	ściana 2	ściana 3	ściana 4	dach
----	----------	----------	----------	----------	------

=====

1	1.0000	1.0000	1.0000	1.0000	1.0000
2	1.0000	1.0000	1.0000	1.0000	1.0000

=====

Punkty obserwacji

Nr	Symbol	X[m]	Y[m]	z[m]

1	p1	1478.4	285.6	4.0
2	p16	1360.6	278.9	4.0
3	p16	1419.3	245.2	4.0
4	p2	1499.4	282.6	4.0
5	p3	1600.5	264.9	4.0
6	p4	1588.5	231.2	4.0
