

Projekt:

Dane do obliczeń :

Źródła punktowe

Nr	X[m]	Y[m]	z[m]	Pma	Symbol
=====					
1	1104.2	546.6	1.0	71.2	park
2	1109.0	546.1	1.0	71.2	park
3	1113.8	545.8	1.0	71.2	park
4	1118.8	545.0	1.0	71.2	park
5	1126.9	544.1	1.0	71.2	park
6	1071.5	535.7	1.0	88.2	man
7	1071.2	526.5	1.0	88.2	man
8	1078.2	531.8	1.0	88.2	man
9	1084.4	533.5	1.0	88.2	man
10	1084.6	525.4	1.0	88.2	man
11	1025.6	507.8	2.0	90.0	went
12	1027.7	521.1	19.0	80.0	kom
=====					

Źródła liniowe - współrzędne

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	z1[m]	z2[m]	Pma	Symbol
=====								
1	834.0	620.0	964.0	582.0	1.0	1.0	82.8	d1
2	964.0	582.0	1050.0	571.0	1.0	1.0	80.8	d2
3	1049.0	570.0	1083.0	529.0	1.0	1.0	78.0	d3
4	1049.0	571.0	1093.0	565.0	1.0	1.0	68.0	p1
5	1093.0	565.0	1105.0	545.0	1.0	1.0	64.8	p2
6	1105.0	544.0	1134.0	541.0	1.0	1.0	65.5	p3
=====								

Źródła typu hala produkcyjna :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
=====										
1	1094.2	533.6	1092.2	519.6	1192.2	504.4	1193.8	519.2	0.0	8.0
2	1080.0	521.6	1077.0	503.8	1189.0	486.8	1191.8	504.6	0.0	8.0
3	1013.0	514.4	1009.4	493.6	1182.0	468.2	1184.0	487.2	0.0	8.0
4	1033.2	489.8	1030.8	470.6	1155.8	451.4	1158.2	471.6	0.0	8.0
5	1027.6	529.6	1079.6	521.2	1076.8	505.0	1023.8	512.8	0.0	11.0
=====										

POZIOMY HAŁASU i IZOLACYJNOŚĆ PRZEGRÓD

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====											
1	sc.1	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	80.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000

			R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
=====												
Nr źródła			A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====												
2	sc.1	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	35.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	35.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	35.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	35.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
dach	L wew	80.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000	
	R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
=====												
Nr źródła			A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====												
3	sc.1	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	35.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	35.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	35.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	35.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
dach	L wew	80.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000	
	R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
=====												
Nr źródła			A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====												
4	sc.1	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	35.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	sc.2	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	35.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	sc.3	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	35.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	sc.4	L wew	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	35.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
dach	L wew	80.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000	
	R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
=====												
Nr źródła			A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====												
5	sc.1	L wew	90.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	sc.2	L wew	90.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	sc.3	L wew	90.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	sc.4	L wew	90.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
dach	L wew	90.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000	
	R d	35.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
=====												

Ekrany akustyczne :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
1	935.4	612.4	932.6	596.6	1017.5	583.6	1019.2	599.4	0.0	7.0
2	1055.4	596.8	1054.5	588.2	1069.6	585.8	1070.6	594.2	0.0	3.0
3	1180.7	555.8	1150.7	560.3	1149.0	547.1	1178.3	543.0	0.0	7.0
4	1239.3	613.6	1299.5	604.0	1295.2	574.5	1235.0	583.8	0.0	7.0
5	1295.0	573.8	1293.8	564.9	1263.3	569.7	1265.0	579.3	0.0	7.0
6	1385.2	627.0	1372.2	589.8	1386.9	585.8	1398.9	622.7	0.0	7.0
7	1193.2	454.0	1192.0	442.0	1199.9	442.0	1200.9	452.8	0.0	2.0
8	1174.0	455.4	1170.2	427.8	1181.2	426.6	1184.8	453.5	0.0	8.0
9	1090.2	433.8	1039.6	441.8	1041.8	431.4	1089.0	425.0	0.0	7.0
10	1098.9	434.8	1121.0	431.7	1120.0	425.9	1098.9	429.5	0.0	2.0
11	1007.2	488.8	1018.2	487.8	1015.6	458.8	1004.1	459.3	0.0	6.0
12	1002.9	448.2	1014.2	447.3	1011.3	410.6	1000.2	411.3	0.0	6.0
13	973.1	498.4	982.5	497.2	979.4	461.4	969.5	462.6	0.0	6.0
14	1192.5	489.2	1204.0	563.4	1266.2	554.2	1253.9	480.1	0.0	11.0
15	1192.0	564.8	1204.0	562.9	1200.9	544.6	1188.6	546.3	0.0	11.0
16	1237.4	479.8	1302.6	468.0	1294.8	408.4	1229.0	414.3	0.0	8.0
17	1254.2	492.4	1252.2	476.7	1332.6	462.4	1334.3	476.2	0.0	8.0
18	1303.2	467.2	1298.2	431.6	1327.6	428.3	1332.0	461.9	0.0	8.0

WSPÓŁCZYNNIKI ODBICIA DLA ŚCIAN

Nr	ściana 1	ściana 2	ściana 3	ściana 4	dach
1	1.0000	1.0000	1.0000	1.0000	1.0000
2	1.0000	1.0000	1.0000	1.0000	1.0000
3	1.0000	1.0000	1.0000	1.0000	1.0000
4	1.0000	1.0000	1.0000	1.0000	1.0000
5	1.0000	1.0000	1.0000	1.0000	1.0000
6	1.0000	1.0000	1.0000	1.0000	1.0000
7	1.0000	1.0000	1.0000	1.0000	1.0000
8	1.0000	1.0000	1.0000	1.0000	1.0000
9	1.0000	1.0000	1.0000	1.0000	1.0000
10	1.0000	1.0000	1.0000	1.0000	1.0000
11	1.0000	1.0000	1.0000	1.0000	1.0000
12	1.0000	1.0000	1.0000	1.0000	1.0000
13	1.0000	1.0000	1.0000	1.0000	1.0000
14	1.0000	1.0000	1.0000	1.0000	1.0000
15	1.0000	1.0000	1.0000	1.0000	1.0000
16	1.0000	1.0000	1.0000	1.0000	1.0000
17	1.0000	1.0000	1.0000	1.0000	1.0000
18	1.0000	1.0000	1.0000	1.0000	1.0000

Punkty obserwacji

Nr	Symbol	X[m]	Y[m]	z[m]
1	p1	1319.6	1340.1	4.0
2	p2	542.5	990.1	4.0
3	p3	433.0	776.6	4.0
4	p4	997.2	496.9	4.0
5	p4'	1009.9	491.3	4.0
6	p5	1061.7	448.8	4.0
7	p6	1172.2	457.1	4.0

8	p7	916.7	302.5	4.0
9	p8	308.6	532.0	4.0

Signature Not Verified
Dokument podpisany przez Katarzyna
Wichman
Data: 2025.12.08 17:46:54 CET